

Dec 08 04 01:39p

ANNE V. DOUGHERTY

9149621973

P. 1

RECEIVED
CENTRAL FAX CENTER

DEC 08 2004

Date: December 8, 2004

No. of Sheets (including cover): 9

TO: Examiner Kevin M. Nguyen
Phone:
Fax: (703) 872-9306

From: Anne Vachon Dougherty, Esq.
3173 Cedar Road
Yorktown Hts, NY 10598
Phone (914) 962-5910
Fax (914) 962-1973

Subject: Patent Application
Docket No: UK998026
Serial No: 09/170,336

Comments: Amendment attached

**THE CONTENTS OF THIS TRANSMISSION ARE CONFIDENTIAL AND
PRIVILEGED AND INTENDED SOLELY FOR VIEWING BY THE
ADDRESSEE. IF YOU HAVE RECEIVED THIS TRANSMISSION IN
ERROR, PLEASE CONTACT TRANSMITTER AT THE ABOVE-LISTED
TELEPHONE NUMBER. DO NOT RE-TRANSMIT!!!**

RECEIVED
CENTRAL FAX CENTER
DEC 08 2004

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS
BEING DEPOSITED WITH THE U.S. PATENT OFFICE
VIA FAX TO EXAMINER K. NGUYEN AT (703) 872-9306
DATE OF DEPOSIT: December 8, 2004
PERSON MAKING DEPOSIT: ANNE VACHON DOUGHERTY

Anne V. Dougherty 12/8/04
Signature & Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of : December 8, 2004
J. Beeteson, et al : Group Art No.: 2674
Serial No. 09/170,336 : Examiner: K. Nguyen
Filed: October 13, 1998 : for IBM Corporation
Title: ACTIVE CORRECTION : Anne Vachon Dougherty
TECHNIQUE FOR A : 3173 Cedar Road
MAGNETIC MATRIX DISPLAY : Yorktown Heights, NY 10598

AMENDMENT

Sir:

In response to the Office Action dated September 8, 2004 for the above-identified patent application, Applicants submit the following:

Claims as reflected in the attached Listing of Claims which begins on page 2.

Remarks/Arguments which begin on page 6.

UK998-026

1